RAW SEQUENCE LISTING PATENT APPLICATION US/08/897,351

DATE: 07/31/98 TIME: 15:13:12

INPUT SET: S27790.raw

This Raw Listing contains the General Information Section and those Sequences

in first 5 pager

ENTERED

```
SEQUENCE LISTING
 1
 2
 3
           General Information:
    (1)
 4
    (i)
            APPLICANT: NEBOJSA JANJIC, LARRY GOLD, PAUL G. SCHMIDT, CHANDRA VARGEESE,
 5
    (ii)
            TITLE OF THE INVENTION: VASCULAR ENDOTHELIAL GROWTH FACTOR
 6
       (VEGF) NUCLEIC ACID LIGAND COMPLEXES
 7
            NUMBER OF SEQUENCES: 88
    (iii)
 8
            CORRESPONDENCE ADDRESS:
    (iv)
 9
    (A)
             ADDRESSEE: Swanson and Bratschun, L.L.C.
10
    (B)
            STREET: 8400 East Prentice Avenue, Suite #200
11
    (C)
            CITY:
                      Denver
12
    (D)
            STATE:
                      Colorado
13
    (E)
            COUNTRY: USA
14
            ZIP:
                      80111
    (F)
15
            COMPUTER READABLE FORM:
16
    (V)
            MEDIUM TYPE: Diskette, 3.5 inch, 1.4 Mb storage
17
    (A)
18
    (B)
            COMPUTER: IBM compatible
19
    (C)
            OPERATING SYSTEM: MS-DOS
20
    (D)
            SOFTWARE: WordPerfect 6.1
21
22
            CURRENT APPLICATION DATA:
    (vi)
23
            APPLICATION NUMBER: 08/897,351
    (A)
24
    (B)
            FILING DATE: 21 JULY 1997
25
    (C)
            CLASSIFICATION:
26
    (vii)
27
            PRIOR APPLICATION DATA:
28
    (A)
            APPLICATION NUMBER: 08/870,930
29
    (B)
            FILING DATE: 6 JUNE 1997
30
    (Viii) ATTORNEY/AGENT INFORMATION:
31
32
    (A)
            NAME: Barry J. Swanson
33
    (B)
            REGISTRATION NUMBER: 33,215
34
            REFERENCE/DOCKET NUMBER: NEX61CIP
    (C)
35
36
37
            TELECOMMUNICATION INFORMATION:
    (ix)
38
            TELEPHONE: (303) 793-3333
    (A)
39
    (B)
            TELEFAX: (303) 793-3433
40
```

(2) INFORMATION FOR SEQ ID NO: 1: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 78 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: RNA (ix) FEATURE: (D) OTHER INFORMATION: (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1: TAATACGACT CACTATAGGG AGGACGATGC GGNNNNNNNN NNNNNNNNN 50 NNNNNNNNN NNCAGACGAC TCGCCCGA 78 (2) INFORMATION FOR SEQ ID NO: 2: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 88 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: RNA (ix) FEATURE: (D) OTHER INFORMATION: (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2: TAATACGACT CACTATAGGG AGGACGATGC GGNNNNNNNN NNNNNNNNN 50 NNNNNNNN NNNNNNNNN NNCAGACGAC TCGCCCGA 88 (2) INFORMATION FOR SEQ ID NO: 3: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 16 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: RNA (ix) FEATURE: (D) OTHER INFORMATION: (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3: TCGGGCGAGT CGTCTG (2) INFORMATION FOR SEQ ID NO: 4: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 32 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: RNA (ix) FEATURE: (D) OTHER INFORMATION: (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4: TAATACGACT CACTATAGGG AGGACGATGC GG 32 (2) INFORMATION FOR SEQ ID NO: 5: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 28

```
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE:
                    RNA
(ix) FEATURE:
(D) OTHER INFORMATION: Nucleotides at positions 1, 6-7,
       10, 14, 16-18, 20, 22, and 24-26 are 2'-fluoro (2'-F) modified
(ix) FEATURE:
(D) OTHER INFORMATION: Nucleotides at positions 2-3,
      8-9, 11-13, 15, 19, 21, 23, and 27 are 2'-OMethyl (2'-OMe)
      modified
(ix) FEATURE:
(D) OTHER INFORMATION: T in position 28 is a 3'-3'-linked
   deoxythymidine
(xi) SEQUENCE DESCRIPTION:
                            SEQ ID NO: 5:
CGGAAUCAGU GAAUGCUUAU ACAUCCGT
                                                                 28
(2) INFORMATION FOR SEQ ID NO: 6:
(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH:
             28
          nucleic acid
(B) TYPE:
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE:
(ix) FEATURE:
(D) OTHER INFORMATION: Nucleotides at positions 1,
6-7, 10, 14, 16-18, 20, 22, and 24-26 are 2'-fluoro (2'-F)
modified
(ix) FEATURE:
(D) OTHER INFORMATION: Nucleotides at positions 2-3,
8-9, 11-13, 15, 19, 21, 23, and 27 are 2'-OMethyl (2'-OMe)
modified
(ix) FEATURE:
(D) OTHER INFORMATION: T in position 28 is a 3'-3'-linked
   deoxythymidine
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:
CGGAAUCAGU GAAUGCUUAU ACAUCCGT
                                                                 28
(2) INFORMATION FOR SEQ ID NO: 7:
(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH:
             28
(B) TYPE:
          nucleic acid
(C) STRANDEDNESS:
                   single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE:
(ix) FEATURE:
(D) OTHER INFORMATION: Nucleotides at positions 1,
6-7, 10, 14, 16-18, 20, 22, and 24-26 are 2'-fluoro (2'-F)
modified
(ix) FEATURE:
(D) OTHER INFORMATION: Nucleotides at positions 2-3,
8-9, 11-13, 15, 19, 21, 23, and 27 are 2'-OMethyl (2'-OMe)
modified
(ix) FEATURE:
(D) OTHER INFORMATION: T in position 28 is a 3'-3'-linked
```

```
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:
CGGAAUCAGU GAAUGCUUAU ACAUCCGT
                                                                 28
(2) INFORMATION FOR SEQ ID NO: 8:
(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH:
            28
          nucleic acid
(B) TYPE:
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: RNA
(ix) FEATURE:
(D) OTHER INFORMATION: Nucleotides at positions 1,
6-7, 10, 14, 16-18, 20, 22, and 24-26 are 2'-fluoro
     (2'-F) modified
(ix) FEATURE:
(D) OTHER INFORMATION: Nucleotides at positions
2-3, 8-9, 11-13, 15, 19, 21, 23, and 27 are 2'-OMethyl
(2'-OMe) modified
(ix) FEATURE:
(D) OTHER INFORMATION: T in position 28 is a 3'-3'-linked
     deoxythymidine
(xi) SEQUENCE DESCRIPTION:
                            SEQ ID NO: 8:
CGGAAUCAGU GAAUGCUUAU ACAUCCGT
                                                                 28
(2) INFORMATION FOR SEQ ID NO: 9:
(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH:
            28
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: RNA
(ix) FEATURE:
(D) OTHER INFORMATION: Nucleotides at positions 1,
6-7, 10, 14, 16-18, 20, 22, and 24-26 are 2'-fluoro (2'-F)
modified
(ix) FEATURE:
(D) OTHER INFORMATION: Nucleotides at positions 2-3,
8-9, 11-13, 15, 19, 21, 23, and 27 are 2'-OMethyl (2'-OMe)
modified
(ix) FEATURE:
(D) OTHER INFORMATION: T in position 28 is a 3'-3'-linked
     deoxythymidine
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:
CGGAAUCAGU GAAUGCUUAU ACAUCCGT
                                                                 28
(2) INFORMATION FOR SEQ ID NO: 10:
(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH:
            61
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: RNA
(ix) FEATURE:
```

(D) OTHER INFORMATION: All pyrimidines are 2 (2'-F) modified	'-fluoro
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10: GGGAGGACGA UGCGGNNNNN NNNNNNNNNN NNNNNNNNNNNNNNNNN	NNNNCAGAC 50
<pre>(2) INFORMATION FOR SEQ ID NO: 11: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 71 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: RNA (ix) FEATURE:</pre>	
(D) OTHER INFORMATION: All pyrimidines are 2 (2'-F) modified	'-fluoro
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11: GGGAGGACGA UGCGGNNNNN NNNNNNNNNN NNNNNNNNNNNNNNNNN	NNNNNNNNN 50 71
<pre>(2) INFORMATION FOR SEQ ID NO: 12: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 61 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: RNA (ix) FEATURE: (D) OTHER INFORMATION: All pyrimidines are 2' (2'-F) modified</pre>	'-fluoro
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12: GGGAGGACGA UGCGGAAGAA UUGGUCAUCG UCGUCUCCGC CUGACUCGCCCG A	UCCCCAGAC 50
<pre>(2) INFORMATION FOR SEQ ID NO: 13: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 61 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: RNA (ix) FEATURE: (D) OTHER INFORMATION: All pyrimidines are 2'</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13: GGGAGGACGA UGCGGAAUAC GGAAGAAUUG GAUACAUAUG CU GACUCGCCCG A	UCGUCAGAC 50
 (2) INFORMATION FOR SEQ ID NO: 14: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 61 (B) TYPE: nucleic acid (C) STRANDEDNESS: single 	

<pre>(ii) MOLECULE TYPE: RNA (ix) FEATURE: (D) OTHER INFORMATION: All pyrimidines are 2'-fluoro</pre>		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14: GGGAGGACGA UGCGGGAUAA CAGAAGAAUU GGUGAACAAC GUGGUCAGAC GACUCGCCCG A	50	61
<pre>(2) INFORMATION FOR SEQ ID NO: 15: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 61 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: RNA (ix) FEATURE: (D) OTHER INFORMATION: All pyrimidines are 2'-fluoro</pre>		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15: GGGAGGACGA UGCGGAUGAU CGCGUAGGAA GUAUUGGAAG GCCCUCAGAC GACUCGCCCG A	50	61
<pre>(2) INFORMATION FOR SEQ ID NO: 16: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 61 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: RNA (ix) FEATURE: (D) OTHER INFORMATION: All pyrimidines are 2'-fluoro</pre>		
(2'-F) modified (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16: GGGAGGACGA UGCGGCACUU UAGAAGAAUU GAAUUUCCCG CUGGUCAGAC GACUCGCCCG A	50	61
<pre>(2) INFORMATION FOR SEQ ID NO: 17: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 61 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: RNA (ix) FEATURE:</pre>		
(D) OTHER INFORMATION: All pyrimidines are 2'-fluoro (2'-F) modified		
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17: GGGAGGACGA UGCGGUAGGA AGAAUUGGAA GCGCAUUUUC CUCGYCAGAC GACUCGCCCG A	50	61
(2) INFORMATION FOR SEQ ID NO: 18: (i) SEQUENCE CHARACTERISTICS:		

(D) TOPOLOGY: linear